

## CLAIMS

1-5 (Cancelled).

6. (Previously Presented) The method of Claim 21, wherein said carrier sheet has a thickness of not more than about 7 mils.

7-20 (Cancelled).

21. (Currently Amended) A method of making a sheet of dry-removable hang tags, comprising the steps of;

a) providing a laminate consisting of a sheet of hang tag material and a carrier sheet of substantially UV-transparent material bonded to each other by a UV-curable adhesive over substantially their entire surface;

b) die-cutting said sheet of hang tag material to form hang tags having a major portion and a minor portion fully contained within, but fully separated from, said major portion; and

c) exposing said UV-curable adhesive to ultraviolet radiation through said carrier sheet, said ultraviolet radiation being of such a nature as to cause said adhesive to frangibly adhere to said hang tag material sheet;

d) whereby upon removing said major portion of said hang tags from said laminate, said major portion separates from said carrier sheet free of adhesive but said minor portion remains adhered to said carrier sheet.

22-23 (Cancelled).